


# COURSE HANDBOOK

## GROUP EXERCISE THREE BOBCAT COMPACT EXCAVATOR VISUAL INSPECTION

### Service Related Decals

#### IMPORTANT ISSUES:

Warning Decal (located on track frame )



167-13

Warning Decal (located on gas cylinder)



167-14

Warning Decals (located on outside of engine cover)




167-15




167-08

Warning Decal (located on radiator)




167-07

Warning Decals (located inside of cab/canopy)



167-12



167-09

continued, next page ▶

## GROUP EXERCISE SIX EXCAVATOR AND WORKSITE PREPARATION (Continued)



167-02

**Figure 2**



167-17

**Figure 3**

### IMPORTANT ISSUES:

*If you need to do track maintenance:*

1. Turn the house so it is aligned perpendicular to the track being serviced.
2. Use the boom and the bucket to raise the track.
3. Raise the blade fully
4. Shut off the engine, exit the excavator, and place one jackstand under the blade (Figure 3) and one under the track frame.
5. Re-enter the excavator, start the engine, and slowly raise the boom so the excavator will rest on the jackstands.

continued, next page ▶

# COURSE HANDBOOK

## GROUP EXERCISE FOUR Worksheet 2 (Continued)

### Questions (Cont.)

Why is the “X” symbol drawn through photograph “A”?



167-05

“A”

Why is the the “X” symbol drawn through photograph “B”?



167-01

“B”