



COMPACT EXCAVATORS

E10

Operating Weight

1176 kg

Engine Power

7.6 kw

Bucket Capacity

0.025m³



Scan the code to watch E10 video

One Tough Animal®

E10 — SPECIFICATIONS

Weights

Operating weight (ISO 6016)	1176 kg
Ground pressure	28.8 kPa

Engine

Make / model	Kubota / D722-E4B-BCZ-6 (Tier4)
Fuel	Diesel
Number of cylinders	3
Displacement	0.7 L
Maximum power (SAE J1995)	7.6 kW (10.2 HP)
Maximum torque (SAE J1995)	40.1 Nm

Performance

Digging force, arm (ISO 6015)	5550 N
Digging force, bucket (ISO 6015)	8294 N
Drawbar pull	9905 N
Travel speed (low)	2.1 km/h
Travel speed (high)	2.8 km/h

Hydraulic System

Pump type	Double gear pump
Pump capacity	20.0 L/min
Auxiliary flow	20.0 L/min
Auxiliary relief	190.0 bar

Swing System

Boom swing (left)	67.0°
Boom swing (right)	64.0°
Swing speed	9.0 RPM

Fluid Capacities

Cooling system	3.0 L
Engine oil and filter	2.8 L
Fuel tank	16.0 L
Hydraulic system	9.4 L

Standard Features


Manually expendable dozer blade from 710 to 1100 mm	Retractable seat belt
180 mm rubber track	Vinyl seat
Auxiliary hydraulics with Quick Couplers	Two-speed travel
Control console locks	TOPS canopy ¹
Horn	Work lights
Hydraulically expandable undercarriage from 710 to 1100 mm	Key ignition

1. Tip Over Protective Structure (TOPS) – Meets requirements of ISO 12117

Options


Keyless ignition	Beacon kit
Travel motion alarm	Blade extension kit

Working Range



(A)	196.0°	(G)	1899.0 mm
(B)	3145.0 mm	(H)	2685.0 mm
(C)	3093.0 mm	(I)	1818.0 mm
(D)	1374.0 mm	(J)	1383.0 mm
(E)	196.0 mm	(K)	1820.0 mm
(F)	230.0 mm		

Dimensions



(A)	220.0 mm	(J*)	710.0~1100.0 mm
(B)	363.0 mm	(K)	2209.0 mm
(C)	992.0 mm	(L)	180.0 mm
(D)	968.0 mm	(M)	413.0 mm
(E)	987.0 mm	(N)	471.0 mm
(F)	2153.0 mm	(O)	1121.0 mm
(G)	1280.0 mm	(P)	550.0 mm
(H)	2793.0 mm	(Q)	1221.0 mm
(I)	16.0 mm	(R)	1163.0 mm

* Retractable track



Bobcat is a Doosan Company.
Doosan is a global leader in construction equipment, power & water solutions, engines, and engineering proudly serving customers and communities for more than a century. | Bobcat and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries.
©2020 Bobcat Company. All Rights Reserved.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors. Pictures of Bobcat equipment may show other than standard equipment.



Bobcat®

Doosan Bobcat Korea Co., Ltd.
www.bobcat.com