



Specifications

Standard
 Optional
 N/A Not Applicable

Packer Wheel

General

| | |
|--------------------------------|------------------|
| Operating Weight | 175 kg |
| Length | 1029 mm |
| Width | 279 mm |
| Height | n/a |
| Wheel Assembly | 2 |
| Wheel Diameter | 762 mm |
| Sheepfoot (hollow tube) | 18 (9 per wheel) |

Compatible Carriers

| Skid-Steer Loaders | |
|--------------------|--------------------------|
| Bobcat A770 | <input type="checkbox"/> |
| Bobcat S450 | <input type="checkbox"/> |
| Bobcat S510 | <input type="checkbox"/> |
| Bobcat S530 | <input type="checkbox"/> |
| Bobcat S550 | <input type="checkbox"/> |
| Bobcat S570 | <input type="checkbox"/> |
| Bobcat S590 | <input type="checkbox"/> |
| Bobcat S595 | <input type="checkbox"/> |
| Bobcat S630 | <input type="checkbox"/> |
| Bobcat S650 | <input type="checkbox"/> |
| Bobcat S740 | <input type="checkbox"/> |
| Bobcat S750 | <input type="checkbox"/> |
| Bobcat S770 | <input type="checkbox"/> |
| Bobcat S850 | <input type="checkbox"/> |

| Compact Track Loaders | |
|-----------------------|--------------------------|
| Bobcat T450 | <input type="checkbox"/> |
| Bobcat T550 | <input type="checkbox"/> |
| Bobcat T590 | <input type="checkbox"/> |
| Bobcat T630 | <input type="checkbox"/> |
| Bobcat T650 | <input type="checkbox"/> |
| Bobcat T740 | <input type="checkbox"/> |
| Bobcat T750 | <input type="checkbox"/> |
| Bobcat T770 | <input type="checkbox"/> |
| Bobcat T870 | <input type="checkbox"/> |

| Compact Excavators | |
|--------------------|--------------------------|
| Bobcat E26 | <input type="checkbox"/> |
| Bobcat E32 | <input type="checkbox"/> |
| Bobcat E32i | <input type="checkbox"/> |
| Bobcat E35 | <input type="checkbox"/> |
| Bobcat E35i | <input type="checkbox"/> |
| Bobcat E42 | <input type="checkbox"/> |
| Bobcat E45 | <input type="checkbox"/> |
| Bobcat E50 | <input type="checkbox"/> |
| Bobcat E55 | <input type="checkbox"/> |
| Bobcat E63 | <input type="checkbox"/> |

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.